

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **HPV-16 (Human Papilloma Virus 16) Antibody, IgG2a, Clone: [HPV16/1296], Mouse, Monoclonal NBT-MSM4-1296-P1ABX**

|                            |  |
|----------------------------|--|
| Article Name               | HPV-16 (Human Papilloma Virus 16) Antibody, IgG2a, Clone: [HPV16/1296], Mouse, Monoclonal  |
| Biozol Catalog Number      | NBT-MSM4-1296-P1ABX  |
| Supplier Catalog Number    | MSM4-1296-P1ABX  |
| Alternative Catalog Number | NBT-MSM4-1296-P1ABX-100  |
| Manufacturer               | NeoBiotechnologies   |
| Host                       | Mouse  |
| Category                   | Antikörper   |
| Application                | IHC  |
| Species Reactivity         | Virus  |
| Immunogen                  | Human papilloma virus type 16  |
| Product Description        | Reacts with E6 protein of human papilloma virus type 16 (HPV-16). Infection with specific types of HPV has been associated with an increased risk of developing cervical neoplasia. HPV types 6 and 11 have been associated with relatively benign diseases... |
| Clonality                  | Monoclonal   |
| Clone Designation          | [HPV16/1296]   |
| Molecular Weight           | 16kDa  |
| Isotype                    | IgG2a  |

|                   |   |
|-------------------|---|
| NCBI              | Not Applicable  |
| Form              | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.  |
| Antibody Type     | Monoclonal Antibody   |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution f |