

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Mitochondrial Marker Antibody, IgG1, Clone: [MTC754], Mouse, Monoclonal NBT-MSM4-754-P0

| Article Name | Mitochondrial Marker Antibody, IgG1, Clone: [MTC754], Mouse, Monoclonal |
|----------------------------|---|
| Biozol Catalog Number | NBT-MSM4-754-P0 |
| Supplier Catalog Number | MSM4-754-P0 |
| Alternative Catalog Number | NBT-MSM4-754-P0-20,NBT-MSM4-754-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | FC, IF, IHC, WB |
| Species Reactivity | Human |
| Immunogen | Mitochondrial fraction of HeLa cells |
| Product Description | This MAb recognizes a 60kDa antigen associated with the mitochondria in cells. It is a part of a new panel of reagents, which recognizes subcellular organelles or compartments of cells. These markers may be useful in identification of these organelle |
| Clonality | Monoclonal |
| Clone Designation | [MTC754] |
| Molecular Weight | 60kDa |
| Isotype | lgG1 |

| NCBI | Not Known |
|-------------------|---|
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & amp; 0.05% azide. Also available WITHOUT BSA at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1- 2ug/ml), Western Blot (0.25-0.5ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin- fixed tissues is enhanced by heating tissue sections in 10mM Tri |