

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Cytokeratin 8/18 Antibody, Clone: [KRT8.18/2297R], Rabbit, Monoclonal NBT-RBM33-2297-P1ABX

| Article Name | Recombinant Cytokeratin 8/18 Antibody, Clone: [KRT8.18/2297R], Rabbit, Monoclonal |
|----------------------------|--|
| Biozol Catalog Number | NBT-RBM33-2297-P1ABX |
| Supplier Catalog Number | RBM33-2297-P1ABX |
| Alternative Catalog Number | NBT-RBM33-2297-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human KRT8/18 protein |
| Product Description | Cytokeratin 8 (CK8) belongs to the type II (or B or basic) subfamily of high molecular weight cytokeratins and exists in combination with cytokeratin 18 (CK18). This MAb cocktail recognizes all simple epithelia including glandular epithelium, for exa |
| Clonality | Monoclonal |
| Clone Designation | [KRT8.18/2297R] |
| Molecular Weight | 52.5kDa (CK8), 45kDa (CK18) |
| NCBI | 3856 |

| UniProt | P05787 |
|-------------------|--|
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double 2005 azide. Also available WITHOUT BSA & Double 2005 azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT) (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution for |