

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

HAVCR2 Antibody / TIM-3, Clone: [TIM3/4024], Mouse, Monoclonal NSJ-V9430-100UG

HAVCR2 Antibody / TIM-3, Clone: [TIM3/4024], Mouse, Monoclonal
NSJ-V9430-100UG
V9430-100UG
NSJ-V9430-100UG
NSJ Bioreagents
Mouse
Antikörper
IHC-P
Human
A portion of amino acids 22-202 was used as the immunogen for the HAVCR2 antibody.
TIMs are type I transmembrane glycoproteins with one Ig-like V-type domain and a Ser/Thr-rich mucin stalk. TIM-3 is expressed on the surface of effector T cel tonsil, lymph node or spleen. Is (CD4+Th1 and CD8+Tc1) but not on helper T cells (CD4+Th2 a
Monoclonal
[TIM3/4024]
Q8TDQ0
Protein A/G affinity

Form	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Antibody Type	Primary Antibody
Application Dilute	Immunohistochemistry (FFPE): 1-2ug/ml
Application Notes	Optimal dilution of the HAVCR2 antibody should be determined by the researcher.