

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-EIF2C2 (AGO2) (Human) mAb, Clone: [1B1-E2H5], Mouse, Monoclonal MBL-RN003M

Article Name	Anti-EIF2C2 (AGO2) (Human) mAb, Clone: [1B1-E2H5], Mouse, Monoclonal
Biozol Catalog Number	MBL-RN003M
Supplier Catalog Number	RN003M
Alternative Catalog Number	MBL-RN003M
Manufacturer	MBL
Host	Mouse
Category	Antikörper
Application	IP, WB
Species Reactivity	Human
Immunogen	(180 amino acids. About terminal region of N) EIF2C2 partial-length recombinant
Product Description	Posttranscriptional regulation of gene expression is a ribonucleoprotein-driven process, which involves RNA binding proteins (RBPs) and non-coding RNAs that affect splicing, nuclear export, subcellular localization, mRNA decay and translation. The RN
Clonality	Monoclonal
Concentration	1 mg/mL
Clone Designation	[1B1-E2H5]
NCBI	27161

Buffer	200 μg IgG in 200 μl volume of PBS containing 50% glycerol, pH 7.2. No preservative iscontained.
Source	This antibody was purified from hybridoma (clone 1B1-E2H5) supernatant using protein A agarose. This hybridoma was established by fusion of mouse myeloma cell P3U1 with Balb/c mouse lymphocyte immunized with human EIF2C2 fusion protein corresponding to N
Target	EIF2C2/AGO2
Application Dilute	WB: 1-4 g/mL for chemiluminescence detection system. IP: 1.5 g/500 L of cell extract from 1.5x 106 cells. RIP: 15 g/500 L of cell extract from 0.85 x 107 cells