

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Myogenin (Skeletal Muscle Marker) Monoclonal Antibody, Clone:

[Clone: Clone: F5D], Mouse

BOB-M03238

| Article Name | Anti-Myogenin (Skeletal Muscle Marker) Monoclonal Antibody, Clone: [Clone: Clone: F5D], Mouse |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Biozol Catalog Number | BOB-M03238 |
| Supplier Catalog Number | M03238 |
| Alternative Catalog Number | BOB-M03238-100UG |
| Manufacturer | Boster Bio |
| Host | Mouse |
| Category | Antikörper |
| Application | ELISA, IHC |
| Species Reactivity | Canine, Feline, Human, Mouse, Porcine, Rat |
| Immunogen | Rat myogenin peptide (aa 73-94) followed by rat myogenin recombinant fragment (aa30-224) (Epitope aa138-158) |
| Product Description | Boster Bio Anti-Myogenin (Skeletal Muscle Marker) Monoclonal Antibody (Catalog M03238). Tested in ELISA, IHC applications. This antibody reacts with Human, Mouse, Rat, Dog, Cat, Pig |
| Clonality | Monoclonal |
| Concentration | Purified antibody with BSA and azide at 200ug/ml |
| Clone Designation | [Clone: Clone: F5D] |
| Molecular Weight | 25037 MW |

| UniProt | P15173 |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Buffer | Prepared in 10mM PBS with 0.05% BSA & Double WITHOUT BSA & Double with 0.05% B |
| Purity | 200ug/ml of antibody purified from Bioreactor Concentrate by Protein A/G. |
| Form | Liquid |
| Application Dilute | ELISA (For coating, order antibody without BSA)Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followe |