

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## EBV Early Antigens Antibody, Clone: [1108-1], Unconjugated, Mouse, Monoclonal BYT-ORB248645

| Article Name               | EBV Early Antigens Antibody, Clone: [1108-1], Unconjugated, Mouse, Monoclonal  |
|----------------------------|--|
| Biozol Catalog Number      | BYT-ORB248645  |
| Supplier Catalog Number    | orb248645  |
| Alternative Catalog Number | BYT-ORB248645-20, BYT-ORB248645-100  |
| Manufacturer               | Biorbyt  |
| Host                       | Mouse  |
| Category                   | Antikörper   |
| Application                | IF   |
| Species Reactivity         | Virus  |
| Immunogen                  | Affinity purified early antigen polypeptides from induced Raji cells precipitated with African Burkitts lymphoma sera were used as the immunogen for this Early Antigens antibody.   |
| Conjugation                | Unconjugated   |
| Product Description        | Epstein-Barr virus (EBV), also designated human herpesvirus 4 (HHV-4), is a member of the herpesvirus family and is one of the most common human viruses. EBV infects B cells and, though often asymptomatic, it can cause infectious mononucleosis, a dis |
| Clonality                  | Monoclonal   |
| Clone Designation          | [1108-1]   |

| Buffer             | 0.2 mg/ml in 1X PBS with 0.1 mg/ml rAlbumin (US sourced) and 0.05% sodium azide  |
|--------------------|--|
| Purity             | Protein G purified antibody  |
| Formula            | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide   |
| Application Dilute | Immunofluorescence: 0.5-1ug/ml   |
| Application Notes  | The concentration stated for each application is a general starting point. Variations in protocols, secondaries and substrates may require the Early Antigens antibody to be titered up or down for optimal performance. |