

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Interleukin-5 Human E. coli Preis auf Anfrage BVD-RBG10005100

Article NameInterleukin-5 Human E. coll Preis auf AnfrageBozol Catalog NumeeBOD-RBG10005100Aughier Catalog NumeeBOD-RBG10005100-100Alenative Catalog NumeeBoD-RBG10005100-100ManufacturerBioVendorCategoryProtein/PeptideSpecies ReactivityHumanproduct DescriptionSi-Si a hamatopic spriophils Product de ly supervision s		
Autoria de Supplier Catalog NumberRBG10005100Alternative Catalog NumberBVD-RBG10005100-100ManufacturerBioVendorCategoryProteine/PeptideSpecies ReactivityHumanProduct DescriptionIl-Sis a hematopoietic growth factor that stimulates the proliferation and activation of eosinophils. Produced by mast cells, T cells, and gosinophils, IL-Splays an important role in inducing cell-mediated immunity against parasitic infections and ceSourceE. coliFurity98%SequenceColigCITESQT VQGGTVERLF KNLSLIKKYI DGQKKKKGEE RRRVNQFLDY QLEFLGVMNTEWIESStorage-20°C	Article Name	Interleukin-5 Human E. coli Preis auf Anfrage
Aternative Catalog NumberFORG10005100-100ManufacturerBioVenBG10005100-100CategoryProteine/PeptideSpecies ReactivityHumanProduct DescriptionSis a hematopoietic growth factor that stimulates the proliferation and activation of eosinophils. Produced by mast cells, T cells, and osinophils, IL-5plays an important role in inducing cell-mediated immunity against parasitic infections and ceSourceE. coliFurityBioXenCell Signer S	Biozol Catalog Number	BVD-RBG10005100
NamufacturerBioVendorCategoryProteine/PeptideSpecies ReactivityHumanhumanI-Sis a hematopoietic growth factor that stimulates the proliferation and activation of eosinophils. Produced by mast cells, T cells, and osinophils, IL-Splays an important role in inducing cell-mediated immunity against parasitic infections and ceSourceE. coliFurity98%SequenceINPTEIPTSA LVKETLALLS THRTLLIANE TLRIPVPVHK NHQLCTEEIF ORIGETESOT VQGGTVERLF KNLSLIKKYL DGQKKKCGEE RRRVNQFLDDY DEFLOYMENTENIESStorage-20°C	Supplier Catalog Number	RBG10005100
CategoryProteine/PeptideSpecies ReactivityHumanProduct DescriptionL-5is a hematopoietic growth factor that stimulates the proliferation and activation of eosinophils. Produced by mast cells, T cells, and eosinophils, IL-5plays an important role in inducing cell-mediated immunity against parasitic infections and ceSourceE. coliExpression SystemE. coliPurity98%SequenceMIPTEIPTSA LVKETLALLS THRTLLIANE TLRIPVPVHK NHQLCTEEIF QGIGTLESQT VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY QEFLGVMNTEWIESStorage-20°C	Alternative Catalog Number	BVD-RBG10005100-100
NoteNoteSpecies ReactivityHumanProduct DescriptionIL-5is a hematopoietic growth factor that stimulates the proliferation and activation of eosinophils. Produced by mast cells, T cells, and eosinophils, IL-5plays an important role in inducing cell-mediated immunity against parasitic infections and ceSourceE. coliExpression SystemE. coliPurity98%SequenceMIPTEIPTSA LVKETLALLS THRTLLIANE TLRIPVPVHK NHQLCTEEIF QGIGTLESQT VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY LQEFLGVMNTEWIIESStorage-20°C	Manufacturer	BioVendor
Product DescriptionL-5is a hematopoietic growth factor that stimulates the proliferation and activation of eosinophils. Produced by mast cells, T cells, and eosinophils, IL-5plays an important role in inducing cell-mediated immunity against parasitic infections and ceSourceE. coliExpression SystemE. coliPurity98%SequenceMIPTEIPTSA LVKETLALLS THRTLLIANE TLRIPVPVHK NHQLCTEEIF GGIGTLESQT VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY LQEFLGVMNTEWIESStorage-20°C	Category	Proteine/Peptide
Product Descriptionand activation of eosinophils. Produced by mast cells, T cells, and eosinophils, IL-5plays an important role in inducing cell-mediated immunity against parasitic infections and ceSourceE. coliExpression SystemE. coliPurity98%SequenceMIPTEIPTSA LVKETLALLS THRTLLIANE TLRIPVPVHK NHQLCTEEIF GGIGTLESQT VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY LQEFLGVMNTEWIESStorage-20°C	Species Reactivity	Human
Expression SystemE. coliPurity98%SequenceMIPTEIPTSA LVKETLALLS THRTLLIANE TLRIPVPVHK NHQLCTEEIF GGIGTLESQT VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY LQEFLGVMNTEWIIESStorage-20°C	Product Description	and activation of eosinophils. Produced by mast cells, T cells, and eosinophils, IL-5plays an important role in inducing cell-mediated
Purity 98% Sequence MIPTEIPTSA LVKETLALLS THRTLLIANE TLRIPVPVHK NHQLCTEEIF QGIGTLESQT VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY LQEFLGVMNTEWIIES Storage -20°C	Source	E. coli
Sequence MIPTEIPTSA LVKETLALLS THRTLLIANE TLRIPVPVHK NHQLCTEEIF Sequence QGIGTLESQT VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY Storage -20°C	Expression System	E. coli
Sequence QGIGTLESQT VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY Storage -20°C	Purity	98%
	Sequence	QGIGTLESQT VQGGTVERLF KNLSLIKKYI DGQKKKCGEE RRRVNQFLDY
Target Interleukin-5	Storage	-20°C
	Target	Interleukin-5

Application Dilute	Centrifuge the vial prior to opening. Reconstitute in water to a concentration of 0.1–1.0 mg/ml. Do not vortex. This solution can be stored at 2–8°C for up to 1 week. For extended storage, it is recommended to further dilute in a buffer containing a
Application Dilute	