

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## AMCA-conjugated AffiniPure(TM) Donkey Anti-Goat IgG (H+L) (min X Ck,GP,Sy Hms,Hrs,Hu,Ms,Rb,Rat Sr Prot) JIM-705-155-147

| Article Name               | AMCA-conjugated AffiniPure(TM) Donkey Anti-Goat IgG (H+L) (min X<br>Ck,GP,Sy Hms,Hrs,Hu,Ms,Rb,Rat Sr Prot)  |
|----------------------------|---|
| Biozol Catalog Number      | JIM-705-155-147   |
| Supplier Catalog Number    | 705-155-147   |
| Alternative Catalog Number | JIM-705-155-147   |
| Manufacturer               | Jackson ImmunoResearch  |
| Host                       | Donkey  |
| Category                   | Antikörper  |
| Species Reactivity         | Goat  |
| Conjugation                | AMCA  |
| Clonality                  | Polyclonal  |
| Buffer                     | Buffer: 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6. Stabilizer: 15<br>mg/ml Bovine Serum Albumin (IgG-Free, Protease-Free).<br>Preservative: 0.05% Sodium Azide   |
| Purity                     | AffiniPure  |
| Form                       | Freeze-dried solid  |
| Storage                    | Storage and Rehydration: Store freeze-dried solid at 2-8°C.<br>Rehydrate with the indicated volume of dH2O and centrifuge if not<br>clear. Prepare working dilution on day of use. Product is stable for<br>about 6 weeks at 2-8°C as an undiluted liquid. Extended |

| Antibody Type      | Secondary Antibody   |
|--------------------|--|
| Application Dilute | _x000D_ 1:50 - 1:200 for most applications_x000Dx000D_ Dilution<br>factors are presented in the form of a range because the optimal<br>dilution is a function of many factors, such as antigen density,<br>permeability, etc. The actual dilution used must be |