

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Alkaline Phosphatase-conjugated AffiniPure(TM) Donkey Anti-Mouse IgM, μ Chain Specific (min X Hu,Bov,Hrs,Rat Sr Prot) JIM-715-055-140

| | |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name | Alkaline Phosphatase-conjugated AffiniPure(TM) Donkey Anti-Mouse IgM, μ Chain Specific (min X Hu,Bov,Hrs,Rat Sr Prot) |
| Biozol Catalog Number | JIM-715-055-140 |
| Supplier Catalog Number | 715-055-140 |
| Alternative Catalog Number | JIM-715-055-140 |
| Manufacturer | Jackson ImmunoResearch |
| Host | Donkey |
| Category | Antikörper |
| Species Reactivity | Mouse |
| Conjugation | AP |
| Clonality | Polyclonal |
| Buffer | Buffer: 0.01M Tris-HCl, 0.25M NaCl, pH 8.0. Stabilizer: 15 mg/ml Bovine Serum Albumin (IgG-Free, Protease-Free). Preservative: 0.05% Sodium Azide |
| Purity | AffiniPure |
| Form | Freeze-dried solid |
| Storage | Storage and Rehydration: Store freeze-dried solid at 2-8°C. Rehydrate with the indicated volume of dH2O and centrifuge if not clear. Prepare working dilution on day of use. Product is stable for about 6 weeks at 2-8°C as an undiluted liquid. Extended... |

| | |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Antibody Type | Secondary Antibody |
| Application Dilute | ELISA:- 1:5,000-1:50,000Western Blot:- 1:5,000-1:50,000Dilution factors are presented in the form of a range because the optimal dilution is a function of many factors, such as antigen density, permeability, etc. The actual dilution used must be... |