

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Swine anti Goat secretory IgA, Clone: [Polyclonal], Porcine, Monoclonal NMB-SWAG/SIGA

Article Name	Swine anti Goat secretory IgA, Clone: [Polyclonal], Porcine, Monoclonal
Biozol Catalog Number	NMB-SWAG/SIGA
Supplier Catalog Number	SwAG/slGA
Alternative Catalog Number	NMB-SWAG/SIGA
Manufacturer	NordicMubio
Host	Porcine
Category	Antikörper
Product Description	The reactivity of the antiserum is restricted to the Fc part of the IgA molecule and to surface and hidden determinants of the secretory component as tested in immunoelectrophoresis and radial immunodiffusion. In immunoelectrophoresis using various a...
Clonality	Monoclonal
Clone Designation	[Polyclonal]
Buffer	Delipidated, heat inactivated, lyophilized, stable whole antiserum. No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of pooled normal swine serum. No foreign proteins added. Reconstitute the lyophilized
Source	Highly purified secretory IgA isolated from pooled goat milk. Freund's complete adjuvant is used in the first step of the immunization procedure.

Formula	Delipidated, heat inactivated, lyophilized, stable whole antiserum. No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of pooled normal swine serum. No foreign proteins added.
Application Notes	Precipitation assays. In immunoelectrophoresis use 2 µl serum or equivalent against 120 µl antiserum. In double radial immunodiffusion use a rosette arrangement with 10 µl antiserum in 3 mm diameter centre well and 2 µl serum samples (neat and serially d