

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu CD279 Purified, Clone: [EH12.2H7], Monoclonal EXB-11-176-C025

Article Name Anti-Hu CD279 Purified, Clone: [EH12.2H7], Monoclonal Biozol Catalog Number EXB-11-176-C025 Supplier Catalog Number 11-176-C025 Alternative Catalog Number EXB-11-176-C025 Manufacturer EXBIO Category Antikörper Application FC, IHC-Fr Species Reactivity Primate, Human Immunogen recombinant human CD279 CD279 / PD-1 (programmed cell death 1), a transmembrane protein of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration 1 mg/ml Clone Designation [EH12.2H7] Isotype IgG1, kappa		
Supplier Catalog Number Alternative Catalog Number EXB-11-176-C025 Manufacturer EXBIO Category Antikörper Application FC, IHC-Fr Species Reactivity Primate, Human Immunogen CD279 / PD-1 (programmed cell death 1), a transmembrane protein of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration I mg/ml Clone Designation [EH12.2H7]	Article Name	Anti-Hu CD279 Purified, Clone: [EH12.2H7], Monoclonal
Alternative Catalog Number EXB-11-176-C025 Manufacturer EXBIO Category Antikörper Application FC, IHC-Fr Species Reactivity Primate, Human Immunogen recombinant human CD279 CD279 / PD-1 (programmed cell death 1), a transmembrane protein of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration 1 mg/ml Clone Designation [EH12.2H7]	Biozol Catalog Number	EXB-11-176-C025
Manufacturer EXBIO Category Antikörper Application FC, IHC-Fr Species Reactivity Primate, Human Immunogen CD279 / PD-1 (programmed cell death 1), a transmembrane protein of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration I mg/ml Clone Designation [EH12.2H7]	Supplier Catalog Number	11-176-C025
Category Antikörper Application FC, IHC-Fr Species Reactivity Primate, Human Immunogen recombinant human CD279 CD279 / PD-1 (programmed cell death 1), a transmembrane protein of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration 1 mg/ml Clone Designation [EH12.2H7]	Alternative Catalog Number	EXB-11-176-C025
Application FC, IHC-Fr Species Reactivity Primate, Human Immunogen recombinant human CD279 CD279 / PD-1 (programmed cell death 1), a transmembrane protein of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration 1 mg/ml Clone Designation [EH12.2H7]	Manufacturer	EXBIO
Species Reactivity Primate, Human recombinant human CD279 CD279 / PD-1 (programmed cell death 1), a transmembrane protein of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration 1 mg/ml Clone Designation [EH12.2H7]	Category	Antikörper
Immunogen recombinant human CD279 CD279 / PD-1 (programmed cell death 1), a transmembrane protein of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration 1 mg/ml Clone Designation [EH12.2H7]	Application	FC, IHC-Fr
Product Description CD279 / PD-1 (programmed cell death 1), a transmembrane protein of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration 1 mg/ml Clone Designation [EH12.2H7]	Species Reactivity	Primate, Human
Product Description of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-tolerance. Binding to its receptors CD273 and Clonality Monoclonal Concentration 1 mg/ml Clone Designation [EH12.2H7]	Immunogen	recombinant human CD279
Concentration 1 mg/ml Clone Designation [EH12.2H7]	Product Description	of CD28/CTLA-4 family. It is expressed inducibly mainly on activated T, B, and myeloid cells and plays a role in maintaining peripheral self-
Clone Designation [EH12.2H7]	Clonality	Monoclonal
	Concentration	1 mg/ml
Isotype IgG1, kappa	Clone Designation	[EH12.2H7]
	Isotype	IgG1, kappa
Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Buffer	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage 2°C to 8°C	Storage	2°C to 8°C

Antibody Type	Monoclonal Antibody
Application Notes	Flow cytometry: Recommended dilution: 1-4 μg/ml.