

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu CD18 Purified, Clone: [MEM-48], Monoclonal EXB-11-216-C100

Article Name Anti-Hu CD18 Purified, Clone: [MEM-48], Monoclonal Biozol Catalog Number EXB-11-216-C100 Supplier Catalog Number 11-216-C100 Alternative Catalog Number EXB-11-216-C100 Manufacturer EXBIO Category Antikörper Application FC, IHC-Fr, IHC-P, IP, WB Species Reactivity Human Immunogen Leukocytes of a patient suffering from a LGL-type leukemia. CD18, integrin beta2 subunit, forms heterodimers with four types of CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-48] Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide Storage 2°C to 8°C		
Supplier Catalog Number Alternative Catalog Number EXB-11-216-C100 Manufacturer EXBIO Category Antikörper Application FC, IHC-Fr, IHC-P, IP, WB Species Reactivity Human Leukocytes of a patient suffering from a LGL-type leukemia. CD18, integrin beta2 subunit, forms heterodimers with four types of CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration I mg/ml Clone Designation [MEM-48] Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Article Name	Anti-Hu CD18 Purified, Clone: [MEM-48], Monoclonal
Alternative Catalog Number EXB-11-216-C100 Manufacturer EXBIO Category Antikörper Application FC, IHC-Fr, IHC-P, IP, WB Species Reactivity Human Immunogen Leukocytes of a patient suffering from a LGL-type leukemia. CD18, integrin beta2 subunit, forms heterodimers with four types of CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-48] Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Biozol Catalog Number	EXB-11-216-C100
Manufacturer EXBIO Category Antikörper Application FC, IHC-Fr, IHC-P, IP, WB Species Reactivity Human Leukocytes of a patient suffering from a LGL-type leukemia. CD18, integrin beta2 subunit, forms heterodimers with four types of CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration I mg/ml Clone Designation [MEM-48] Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Supplier Catalog Number	11-216-C100
Category Antikörper Application FC, IHC-Fr, IHC-P, IP, WB Species Reactivity Human Immunogen Leukocytes of a patient suffering from a LGL-type leukemia. CD18, integrin beta2 subunit, forms heterodimers with four types of CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-48] Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Alternative Catalog Number	EXB-11-216-C100
Application FC, IHC-Fr, IHC-P, IP, WB Species Reactivity Human Leukocytes of a patient suffering from a LGL-type leukemia. CD18, integrin beta2 subunit, forms heterodimers with four types of CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-48] Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Manufacturer	EXBIO
Species Reactivity Immunogen Leukocytes of a patient suffering from a LGL-type leukemia. CD18, integrin beta2 subunit, forms heterodimers with four types of CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration I mg/ml Clone Designation [MEM-48] Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Category	Antikörper
Immunogen Leukocytes of a patient suffering from a LGL-type leukemia. CD18, integrin beta2 subunit, forms heterodimers with four types of CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration I mg/ml Clone Designation [MEM-48] Isotype Mouse IgG1 Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Application	FC, IHC-Fr, IHC-P, IP, WB
CD18, integrin beta2 subunit, forms heterodimers with four types of CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-48] Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Species Reactivity	Human
CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac- 1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2 (CD11d/CD18) Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-48] Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Immunogen	Leukocytes of a patient suffering from a LGL-type leukemia.
Concentration 1 mg/ml Clone Designation [MEM-48] Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Product Description	CD11 molecule to constitute leukocyte (beta2) integrins: alphaLbeta2 (CD11a/CD18, LFA-1), alphaMbeta2 (CD11b/CD18, Mac-1, CR3), alphaXbeta2 (CD11c/CD18) and alphaDbeta2
Clone Designation [MEM-48] Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Clonality	Monoclonal
Isotype Mouse IgG1 Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Concentration	1 mg/ml
Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Clone Designation	[MEM-48]
	Isotype	Mouse IgG1
Storage 2°C to 8°C	Buffer	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
	Storage	2°C to 8°C

Target	CD18
Antibody Type	Monoclonal Antibody
Application Notes	Western blotting: Recommended dilution: 2 μ g/ml, positive control: Kg-1a human leukemia cell lysate, non-reducing conditions. Flow cytometry: Recommended dilution: 2 μ g/ml. Immunohistochemistry (paraffin sections): Recommended dilution: 10 μ g/ml,