

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-betaIII-Tubulin Purified, Clone: [TU-20], Monoclonal EXB-11-264-C025

| | |
|----------------------------|---|
| Article Name | Anti-betaIII-Tubulin Purified, Clone: [TU-20], Monoclonal |
| Biozol Catalog Number | EXB-11-264-C025 |
| Supplier Catalog Number | 11-264-C025 |
| Alternative Catalog Number | EXB-11-264-C025 |
| Manufacturer | EXBIO |
| Category | Antikörper |
| Application | WB, FC, IHC-P, ICC |
| Species Reactivity | Mouse, Porcine, Human, Canine, Rat |
| Immunogen | Peptide (C) 441-448 coupled to maleimide-activated keyhole limpet hemocyanin via cysteine added to the N-terminus of the neuron-specific peptide. |
| Product Description | The betaIII isoform of tubulin is present dominantly in cells of neuronal origin and it is one of the earliest markers of neuronal differentiation. It is regarded as a specific probe for the cells of neuronal origin as well as for the tumours origina... |
| Clonality | Monoclonal |
| Concentration | 1 mg/ml |
| Clone Designation | [TU-20] |
| Isotype | IgG1 |
| Buffer | Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |

| | |
|-------------------|--|
| Storage | 2°C to 8°C |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Western blotting: Recommended dilution: 1-2 µg/ml, positive control: porcine brain lysate, negative control: HPB-ALL human peripheral blood leukemia cell line, reducing conditions. Immunohistochemistry (paraffin sections): Recommended dilution: 10 µg |