

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu CD108 Purified, Clone: [MEM-150], Monoclonal EXB-11-275-C025

Article Name Anti-Hu CD108 Purified, Clone: [MEM-150], Monoclonal Biozol Catalog Number EXB-11-275-C025 Supplier Catalog Number 11-275-C025 Alternative Catalog Number EXB-11-275-C025 Manufacturer EXBIO Category Antikörper Application WB, FC, IP Species Reactivity Human Immunogen HPB-ALL human T cell line CD108 (Sema7A) is a GPI-anchored semaphorin family member, which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-150] Buffer Buffered Saline (TBS) pH 8 0, 15 mM sodium axide.		
Supplier Catalog Number 11-275-C025 Alternative Catalog Number EXB-11-275-C025 Manufacturer EXBIO Category Antikörper Application WB, FC, IP Species Reactivity Human Immunogen HPB-ALL human T cell line CD108 (Sema7A) is a GPI-anchored semaphorin family member, which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-150] Isotype IgM	Article Name	Anti-Hu CD108 Purified, Clone: [MEM-150], Monoclonal
Alternative Catalog Number EXB-11-275-C025 Manufacturer EXBIO Category Antikörper Application WB, FC, IP Species Reactivity Human Immunogen HPB-ALL human T cell line CD108 (Sema7A) is a GPI-anchored semaphorin family member, which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation IMEM-150] Isotype IgM	Biozol Catalog Number	EXB-11-275-C025
Manufacturer EXBIO Category Antikörper Application WB, FC, IP Species Reactivity Human Immunogen HPB-ALL human T cell line CD108 (Sema7A) is a GPI-anchored semaphorin family member, which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-150] Isotype IgM	Supplier Catalog Number	11-275-C025
Category Antikörper Application WB, FC, IP Species Reactivity Human Immunogen HPB-ALL human T cell line CD108 (Sema7A) is a GPI-anchored semaphorin family member, which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-150] Isotype IgM	Alternative Catalog Number	EXB-11-275-C025
Application WB, FC, IP Species Reactivity Human Immunogen HPB-ALL human T cell line CD108 (Sema7A) is a GPI-anchored semaphorin family member, which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-150] Isotype IgM	Manufacturer	EXBIO
Species Reactivity Immunogen HPB-ALL human T cell line CD108 (Sema7A) is a GPI-anchored semaphorin family member, which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-150] Isotype IgM	Category	Antikörper
Immunogen HPB-ALL human T cell line Product Description CD108 (Sema7A) is a GPI-anchored semaphorin family member, which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-150] Isotype IgM	Application	WB, FC, IP
Product Description CD108 (Sema7A) is a GPI-anchored semaphorin family member, which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-150] Isotype IgM	Species Reactivity	Human
Product Description which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also regulates osteoclast differentiation and pre-osteoblastic c Clonality Monoclonal Concentration 1 mg/ml Clone Designation [MEM-150] Isotype IgM	Immunogen	HPB-ALL human T cell line
Concentration 1 mg/ml Clone Designation [MEM-150] Isotype IgM	Product Description	which enhances central and peripheral axonal growth and is required for proper axon track formation during ebryogenesis. CD108 also
Clone Designation [MEM-150] Isotype IgM	Clonality	Monoclonal
Isotype IgM	Concentration	1 mg/ml
	Clone Designation	[MEM-150]
Buffer Tris buffered saling (TRS), pH 8.0, 15 mM sodium azide	Isotype	IgM
This buffered sainte (165), pir 6.0, 15 mill socialit azide	Buffer	Tris buffered saline (TBS), pH 8.0, 15 mM sodium azide
Storage 2°C to 8°C	Storage	2°C to 8°C

Antibody Type	Monoclonal Antibody
Application Notes	Flow cytometry: Recommended dilution: 4 μ g/ml. Western blotting: Non-reducing conditions.