

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-PAG1 Purified, Clone: [PAG-C1], Monoclonal EXB-11-346-C100

Article Name Anti-PAG1 Purified, Clone: [PAG-C1], Monoclonal Biozol Catalog Number EXB-11-346-C100 Supplier Catalog Number 11-346-C100 Alternative Catalog Number EXB-11-346-C100 Manufacturer EXBIO Category Antikörper Application IHC-P, IP, WB Species Reactivity Bovine, Human, Mouse, Rat Immunogen C-terminal peptide (last 15 amino acids) of human Csk binding protein coupled to KLH. Product Description PAG (phosphoprotein associated with GEMs), also known as Cbp (Csk binding protein), is a ubiquitously expressed 46 kDa transmembrane adaptor protein present in membrane rafts (glycosphingolipid-enriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration 1 mg/ml Clone Designation [PAG-C1] Isotype Mouse IgG2b		
Supplier Catalog Number 11-346-C100 Alternative Catalog Number EXB-11-346-C100 Manufacturer EXBIO Category Antikörper Application IHC-P, IP, WB Species Reactivity Bovine, Human, Mouse, Rat Immunogen C-terminal peptide (last 15 amino acids) of human Csk binding protein coupled to KLH. PAG (phosphoprotein associated with GEMs), also known as Cbp (Csk binding protein), is a ubiquitously expressed 46 kDa transmembrane adaptor protein present in membrane rafts (glycosphingolipidenriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration 1 mg/ml Clone Designation [PAG-C1]	Article Name	Anti-PAG1 Purified, Clone: [PAG-C1], Monoclonal
Alternative Catalog Number EXB-11-346-C100 Manufacturer EXBIO Category Antikörper Application IHC-P, IP, WB Species Reactivity Bovine, Human, Mouse, Rat Immunogen C-terminal peptide (last 15 amino acids) of human Csk binding protein coupled to KLH. PAG (phosphoprotein associated with GEMs), also known as Cbp (Csk binding protein), is a ubiquitously expressed 46 kDa transmembrane adaptor protein present in membrane rafts (glycosphingolipidenriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration 1 mg/ml Clone Designation [PAG-C1]	Biozol Catalog Number	EXB-11-346-C100
Manufacturer EXBIO Category Antikörper Application IHC-P, IP, WB Species Reactivity Bovine, Human, Mouse, Rat Immunogen C-terminal peptide (last 15 amino acids) of human Csk binding protein coupled to KLH. PAG (phosphoprotein associated with GEMs), also known as Cbp (Csk binding protein), is a ubiquitously expressed 46 kDa transmembrane adaptor protein present in membrane rafts (glycosphingolipid-enriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration 1 mg/ml Clone Designation [PAG-C1]	Supplier Catalog Number	11-346-C100
Category Application IHC-P, IP, WB Species Reactivity Bovine, Human, Mouse, Rat C-terminal peptide (last 15 amino acids) of human Csk binding protein coupled to KLH. PAG (phosphoprotein associated with GEMs), also known as Cbp (Csk binding protein), is a ubiquitously expressed 46 kDa transmembrane adaptor protein present in membrane rafts (glycosphingolipid-enriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration 1 mg/ml Clone Designation [PAG-C1]	Alternative Catalog Number	EXB-11-346-C100
Application IHC-P, IP, WB Species Reactivity Bovine, Human, Mouse, Rat C-terminal peptide (last 15 amino acids) of human Csk binding protein coupled to KLH. PAG (phosphoprotein associated with GEMs), also known as Cbp (Csk binding protein), is a ubiquitously expressed 46 kDa transmembrane adaptor protein present in membrane rafts (glycosphingolipid-enriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration 1 mg/ml Clone Designation [PAG-C1]	Manufacturer	EXBIO
Species Reactivity Bovine, Human, Mouse, Rat C-terminal peptide (last 15 amino acids) of human Csk binding protein coupled to KLH. PAG (phosphoprotein associated with GEMs), also known as Cbp (Csk binding protein), is a ubiquitously expressed 46 kDa transmembrane adaptor protein present in membrane rafts (glycosphingolipid-enriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration 1 mg/ml Clone Designation [PAG-C1]	Category	Antikörper
Immunogen C-terminal peptide (last 15 amino acids) of human Csk binding protein coupled to KLH. PAG (phosphoprotein associated with GEMs), also known as Cbp (Csk binding protein), is a ubiquitously expressed 46 kDa transmembrane adaptor protein present in membrane rafts (glycosphingolipid-enriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration 1 mg/ml Clone Designation [PAG-C1]	Application	IHC-P, IP, WB
Product Description I membrane rafts (glycosphingolipid-enriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration I mg/ml Clone Designation [PAG-C1]	Species Reactivity	Bovine, Human, Mouse, Rat
Product Description binding protein), is a ubiquitously expressed 46 kDa transmembrane adaptor protein present in membrane rafts (glycosphingolipid-enriched microdomains), which however migrates on SDS PA Clonality Monoclonal Concentration 1 mg/ml Clone Designation [PAG-C1]	Immunogen	
Concentration 1 mg/ml Clone Designation [PAG-C1]	Product Description	adaptor protein present in membrane rafts (glycosphingolipid-
Clone Designation [PAG-C1]	Clonality	Monoclonal
	Concentration	1 mg/ml
Isotype Mouse IgG2b	Clone Designation	[PAG-C1]
	Isotype	Mouse IgG2b
Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Buffer	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage 2°C to 8°C	Storage	2°C to 8°C

Target	PAG1
Antibody Type	Monoclonal Antibody
Application Notes	Immunohistochemistry (paraffin sections): Positive tissue: appendix (germinal center of lymphatic follicle), heat-mediated antigen retrieval in citrate buffer pH 6.1. Immunoprecipitation: Positive control: RAJI human Burkitt lymphoma cell line.