

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-c-Myc tag Purified, Clone: [9E10], Monoclonal EXB-11-433-C100

A 1 . 1	
Article Name	Anti-c-Myc tag Purified, Clone: [9E10], Monoclonal
Biozol Catalog Number	EXB-11-433-C100
Supplier Catalog Number	11-433-C100
Alternative Catalog Number	EXB-11-433-C100
Manufacturer	EXBIO
Category	Antikörper
Application	FC, IHC-P, IP, WB
Species Reactivity	All, Human
Immunogen	Synthetic peptide sequence (AEEQKLISEEDLL) corresponding to the C-terminal region of human c-Myc.
Product Description	The c-myc gene (8q24 on human chromosome) is the cellular homologue of the v-myc gene originally isolated from an avian myelocytomatosis virus. The c-Myc protein is a transcription factor (nuclear localization). c-Myc is commonly activated in a varie
Clonality	Monoclonal
Concentration	1 mg/ml
Clone Designation	[9E10]
Isotype	Mouse IgG1
Buffer	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage	2°C to 8°C

Target	c-Myc tag
Antibody Type	Monoclonal Antibody
Application Notes	Immunohistochemistry (paraffin sections): Recommended dilution: 5- $10~\mu g/ml$, positive tissue: perfused brain sections, liver, spleen. Immunoprecipitation: Recommended dilution: $1-5~\mu g/ml$, this antibody is not suitable for immunoprecipitation of native