

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Cyclin D1 Purified, Clone: [CD1.1], Monoclonal EXB-11-535-C025

| | |
|----------------------------|---|
| Article Name | Anti-Cyclin D1 Purified, Clone: [CD1.1], Monoclonal |
| Biozol Catalog Number | EXB-11-535-C025 |
| Supplier Catalog Number | 11-535-C025 |
| Alternative Catalog Number | EXB-11-535-C025 |
| Manufacturer | EXBIO |
| Category | Antikörper |
| Application | IP, ELISA, FC, IHC-P, ICC, WB, IHC-Fr |
| Species Reactivity | Human, Rat |
| Immunogen | Purified cyclin D1 protein |
| Product Description | Cyclin D1 (PRAD1, Bcl-1) is a cytoplasmic and nuclear protein, which is synthesized during G1 phase and assembles with either cyclin-dependent kinase 4 (CDK4) or CDK6 in response to growth factor stimulation. D-type cyclin-CDK complexes act to inacti... |
| Clonality | Monoclonal |
| Concentration | 1 mg/ml |
| Clone Designation | [CD1.1] |
| Isotype | IgG1 |
| Buffer | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |
| Storage | 2°C to 8°C |

| | |
|-------------------|--|
| Antibody Type | Monoclonal Antibody |
| Application Notes | Immunohistochemistry (frozen sections): Recommended dilution: 2 µg/ml, positive tissue: colon. Western blotting: Recommended dilution: 1 µg/ml. Immunocytochemistry: Recommended dilution: 1 µg/ml. Immunoprecipitation: Recommended dilution: 1 µg/ |