

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu CD82 Purified, Clone: [C33], Monoclonal EXB-11-559-C100

Article Name Anti-Hu CD82 Purified, Clone: [C33], Monoclonal Biozol Catalog Number EXB-11-559-C100 Supplier Catalog Number 11-559-C100 Alternative Catalog Number EXB-11-559-C100 Manufacturer EXBIO Category Antikörper Application FC, ICC, IHC-P, IP, WB Species Reactivity Human Immunogen C91/PL (human HTLV-1+ T cell line) CD82 (KAI1), a member of the tetraspanin family, forms complexes with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide Storage 2°C to 8°C		
Supplier Catalog Number 11-559-C100 Alternative Catalog Number EXB-11-559-C100 Manufacturer EXBIO Category Antikörper Application FC, ICC, IHC-P, IP, WB Species Reactivity Human Immunogen C91/PL (human HTLV-1+ T cell line) CD82 (KAI1), a member of the tetraspanin family, forms complexes with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Article Name	Anti-Hu CD82 Purified, Clone: [C33], Monoclonal
Alternative Catalog Number EXB-11-559-C100 Manufacturer EXBIO Category Antikörper Application FC, ICC, IHC-P, IP, WB Species Reactivity Human Immunogen C91/PL (human HTLV-1+ T cell line) CD82 (KAI1), a member of the tetraspanin family, forms complexes with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Biozol Catalog Number	EXB-11-559-C100
Manufacturer EXBIO Category Antikörper Application FC, ICC, IHC-P, IP, WB Species Reactivity Human C91/PL (human HTLV-1+ T cell line) CD82 (KAl1), a member of the tetraspanin family, forms complexes with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Supplier Catalog Number	11-559-C100
Category Antikörper Application FC, ICC, IHC-P, IP, WB Species Reactivity Human Immunogen C91/PL (human HTLV-1+ T cell line) CD82 (KAI1), a member of the tetraspanin family, forms complexes with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Alternative Catalog Number	EXB-11-559-C100
Application FC, ICC, IHC-P, IP, WB Species Reactivity Human Immunogen C91/PL (human HTLV-1+ T cell line) CD82 (KAI1), a member of the tetraspanin family, forms complexes with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Manufacturer	EXBIO
Species Reactivity Human C91/PL (human HTLV-1+ T cell line) CD82 (KAl1), a member of the tetraspanin family, forms complexes with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Category	Antikörper
Immunogen C91/PL (human HTLV-1+ T cell line) CD82 (KAI1), a member of the tetraspanin family, forms complexes with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Application	FC, ICC, IHC-P, IP, WB
Product Description CD82 (KAI1), a member of the tetraspanin family, forms complexes with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration I mg/ml Clone Designation [C33] Isotype Mouse IgG2a Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Species Reactivity	Human
Product Description with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology, activation, proliferation and differentiation of B Clonality Monoclonal Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Immunogen	C91/PL (human HTLV-1+ T cell line)
Concentration 1 mg/ml Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Product Description	with other tetraspanin proteins, integrins, coreceptors, MHC class I and II molecules. These complexes influence adhesion, morphology,
Clone Designation [C33] Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Clonality	Monoclonal
Isotype Mouse IgG2a Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Concentration	1 mg/ml
Buffer Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	Clone Designation	[C33]
Thospitate barrerea same (FBS), pri 7.4, 15 min sociam azide	Isotype	Mouse IgG2a
Storage 2°C to 8°C	Buffer	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
	Storage	2°C to 8°C

Target	CD82
Antibody Type	Monoclonal Antibody
Application Notes	Flow cytometry: Recommended dilution: 1-4 μg/ml