

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Ms CD4 Purified, Clone: [GK1.5], Monoclonal EXB-11-580-C100

Anti-Ms CD4 Purified, Clone: [GK1.5], Monoclonal
EXB-11-580-C100
11-580-C100
EXB-11-580-C100
EXBIO
Antikörper
FC, ICC, IHC-Fr, IP
Mouse
Mouse CTL clone V4 cells
CD4 (T4) is a single chain transmembrane glycoprotein and belongs to immunoglobulin supergene family. In extracellular region there are 4 immunoglobulin-like domains (1 Ig-like V-type and 3 Ig-like C2-type). Transmembrane region forms 25 aa, cytoplas
Monoclonal
1 mg/ml
[GK1.5]
Rat IgG2b
Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
2°C to 8°C

Target	CD4
Antibody Type	Monoclonal Antibody
Application Notes	Immunocytochemistry: Recommended dilution: 1-4 μ g/ml. Immunoprecipitation: Recommended dilution: 1-2 μ g / 100-500 μ g of protein in 1 ml lysate. Flow cytometry: Recommended dilution: 1 μ g/million cells.