

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-HLA-DR Purified, Clone: [L243], Monoclonal EXB-11-690-C025

Anti-HLA-DR Purified, Clone: [L243], Monoclonal
EXB-11-690-C025
11-690-C025
EXB-11-690-C025
EXBIO
Antikörper
FC, IP, IHC-P, ICC, WB, IHC-Fr
Canine, Human, Primate
Human B lymphocytes
HLA-DR, a member of MHC class II glycoproteins, that bind intracellularly processed peptides and present them to the Th cells, is composed of 36 kDa alpha chain and 27 kDa beta chain, both anchored in the plasma membrane. Together with other MHC II m
Monoclonal
1 mg/ml
[L243]
IgG2a, kappa
Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
2°C to 8°C

Antibody Type	Monoclonal Antibody
Application Notes	Flow cytometry: Recommended dilution: 1-4 μg/ml.