



Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu CD160 PE, Clone: [BY55], Monoclonal

EXB-1P-750-T100

Hu CD160 PE, Clone: [BY55], Monoclonal
1P-750-T100
50-T100
1P-750-T100
örper
an
an NK cell line YT2C2
50 is a cell surface glycoprotein of immunoglobulin superfamily, in functions as a costimulatory receptor expressed mainly on oxic cell populations and recognizing both classical and non-ical MHC class I molecules. It can form disulfi
oclonal
5]
e IgM kappa
lizing Tris buffered saline (TBS), pH 8.0, 15 mM sodium azide
o 8°C

Target	CD160
Antibody Type	Monoclonal Antibody
Application Dilute	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.
Application Notes	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.