

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu Ig Lambda Light Chain APC-Cy(TM)7, Clone: [1-155-2], APC/Cy7, Monoclonal EXB-T4-673-T100

Article Name	Anti-Hu Ig Lambda Light Chain APC-Cy(TM)7, Clone: [1-155-2], APC/Cy7, Monoclonal
Biozol Catalog Number	EXB-T4-673-T100
Supplier Catalog Number	T4-673-T100
Alternative Catalog Number	EXB-T4-673-T100
Manufacturer	EXBIO
Category	Antikörper
Application	FC
Species Reactivity	Human
Immunogen	Human IgA1 lambda myeloma protein
Conjugation	APC/Cy7
Product Description	Immunoglobulin classes share the same basic four polypeptide chain structure of two heavy chains (five heavy chains types) and two light chains (kappa, lambda, both having a molecular weight of 22.5kDa). Kappa and lambda consist of a variable region
Clonality	Monoclonal
Clone Designation	[1-155-2]
Isotype	Mouse IgG1 kappa
Buffer	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

Storage	2°C to 8°C
Target	Ig Lambda Light Chain
Antibody Type	Monoclonal Antibody
Application Dilute	Flow cytometry: The reagent is designed for analysis of human blood cells using 4 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests.
Application Notes	Flow cytometry: The reagent is designed for analysis of human blood cells using 4 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. Extracellular and intracellular stai