

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu CD27 PE-Cy(TM)5, Clone: [LT27], PE/Cy5, Monoclonal EXB-T8-308-T100

| Article Name | Anti-Hu CD27 PE-Cy(TM)5, Clone: [LT27], PE/Cy5, Monoclonal |
|----------------------------|--|
| Biozol Catalog Number | EXB-T8-308-T100 |
| Supplier Catalog Number | T8-308-T100 |
| Alternative Catalog Number | EXB-T8-308-T100 |
| Manufacturer | EXBIO |
| Category | Antikörper |
| Application | FC |
| Species Reactivity | Human |
| Immunogen | Human peripheral blood lymphocytes |
| Conjugation | PE/Cy5 |
| Product Description | CD27 is a transmembrane 55 kDa protein of the nerve growth factor- receptor family, expressed as a disulfide-linked homodimer on mature thymocytes, peripheral blood T cells and a subpopulation of B cells. Activation of T cells via TCR-CD3 complex resu |
| Clonality | Monoclonal |
| Clone Designation | [LT27] |
| Isotype | Mouse IgG2a |
| Buffer | Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |
| Storage | 2°C to 8°C |

BIOZOL

| Target | CD27 |
|--------------------|--|
| Antibody Type | Monoclonal Antibody |
| Application Dilute | Flow cytometry: The reagent is designed for analysis of human blood cells using 4 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. |
| Application Notes | Flow cytometry: The reagent is designed for analysis of human blood cells using 4 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests. |