

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Hu IgD PerCP-Cy(TM)5.5, Clone: [IA6-2], PerCP/Cy5.5, Monoclonal EXB-T9-142-T100

Article Name	Anti-Hu IgD PerCP-Cy(TM)5.5, Clone: [IA6-2], PerCP/Cy5.5, Monoclonal
Biozol Catalog Number	EXB-T9-142-T100
Supplier Catalog Number	T9-142-T100
Alternative Catalog Number	EXB-T9-142-T100
Manufacturer	EXBIO
Category	Antikörper
Application	FC
Species Reactivity	Human
Immunogen	Human IgD
Conjugation	PerCP/Cy5.5
Product Description	Immunoglobulin D (IgD) is expressed on the surface of naive mature B cells, thus later than IgM, and is coexpressed with it then. Triggered by antigen binding, it signals through the CD79 complex to activate the B cells. Expression of IgD is lost aft
Clonality	Monoclonal
Clone Designation	[IA6-2]
Isotype	Mouse IgG2a kappa
Buffer	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

Storage	2°C to 8°C
Target	IgD
Antibody Type	Monoclonal Antibody
Application Dilute	Flow cytometry: The reagent is designed for analysis of human blood cells using 4 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests.
Application Notes	Flow cytometry: The reagent is designed for analysis of human blood cells using 4 μ l reagent / 100 μ l of whole blood or 106 cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests.