

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Monoclonal antibody to MyD88 (Clone: ABM2H20) FITC Conjugated, Clone: [ABM2H20], Mouse ABI-10-3012-F

| | |
|----------------------------|---|
| Article Name | Monoclonal antibody to MyD88 (Clone: ABM2H20) FITC Conjugated, Clone: [ABM2H20], Mouse |
| Biozol Catalog Number | ABI-10-3012-F |
| Supplier Catalog Number | 10-3012-F |
| Alternative Catalog Number | ABI-10-3012-F-100UG,ABI-10-3012-F-25UG |
| Manufacturer | Abeomics |
| Host | Mouse |
| Category | Antikörper |
| Application | FACS |
| Species Reactivity | Human |
| Immunogen | A partial length recombinant protein of human MyD88 (amino acids 13-221) was used as an immunogen for this antibody. |
| Conjugation | FITC |
| Product Description | MyD88 (Myeloid differentiation factor) is an essential adaptor molecule in all TLR (Toll-like receptor) signaling pathways except TLR3. MyD88 is composed of an N-terminal (Death Domain) and a highly conserved C-terminal TIR (Toll/interleukin-1 Recept... |
| Clonality | Monoclonal |
| Clone Designation | [ABM2H20] |
| Isotype | Mouse IgG1, Kappa |

| | |
|--------------------|--|
| NCBI | 4615 |
| UniProt | Q99836 |
| Buffer | 0.2 mg/ ml of Tris buffer containing 0.05% sodium azide. |
| Purity | Protein G Chromatography |
| Form | Purified |
| Formula | 0.2 mg/ ml of Tris buffer containing 0.05% sodium azide. |
| Target | MyD88 |
| Application Dilute | FACS Analysis: 0.5-1 µg/ml |