

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Anti-gamma-Tubulin Monoclonal Antibody (Clone: GTU-88), Clone: [GTU-88], Mouse ABI-39-1061

Article Name	Anti-gamma-Tubulin Monoclonal Antibody (Clone: GTU-88), Clone: [GTU-88], Mouse
Biozol Catalog Number	ABI-39-1061
Supplier Catalog Number	39-1061
Alternative Catalog Number	ABI-39-1061-100UG,ABI-39-1061-100UG/VIAL
Manufacturer	Abeomics
Host	Mouse
Category	Antikörper
Application	ICC, WB
Species Reactivity	Human
Immunogen	Synthetic gamma-tubulin peptide(amino acids 38-53), conjugated to KLH.
Product Description	Gamma-tubulin is a universal component of microtubule organizing centers, which is essential for nuclear division and microtubule assembly in Aspergillus nidulans. TUBG1 mapped to within 20 kb of TUBG2 at 17q21. Gamma-tubulin is a minor protein, pres
Clonality	Monoclonal
Clone Designation	[GTU-88]
Isotype	Mouse IgG1
NCBI	23163

UniProt	Q9NZ52
Buffer	Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative. Reconstitute : Add 1ml of PBS buffer will yield a concentration of 100 $\mu$ g/ml.
Purity	Ascites
Formula	Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative. Reconstitute: Add 1ml of PBS buffer will yield a concentration of 100ug/ml.
Target	ADP-ribosylation factor-binding protein GGA1, ADP-ribosylation factor-binding protein GGA2, ADP-ribo
Application Dilute	Western blot : 0.25-0.5μg/mlμg/ml, Immunocytochemistry : 1μg/mlμg/ml