

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-Laminin Monoclonal Antibody (Clone: LAM-89), Clone: [LAM-89], Mouse ABI-39-1064

| | |
|----------------------------|---|
| Article Name | Anti-Laminin Monoclonal Antibody (Clone: LAM-89), Clone: [LAM-89], Mouse |
| Biozol Catalog Number | ABI-39-1064 |
| Supplier Catalog Number | 39-1064 |
| Alternative Catalog Number | ABI-39-1064-100UG,ABI-39-1064-100UG/VIAL |
| Manufacturer | Abeomics |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC-P, WB |
| Species Reactivity | Human |
| Immunogen | Human laminin. |
| Product Description | Laminin is a heterotrimeric extracellular matrix protein consisting of 3 chains: alpha-1,beta-1 and gamma-1, formerly called beta-2(LAMA2). This gene is over 260,000 base pairs and contains 64 exons. Laminin is similar with merosin, a basement membra... |
| Clonality | Monoclonal |
| Clone Designation | [LAM-89] |
| Isotype | Mouse IgG1 |
| NCBI | 3913 |

| | |
|--------------------|--|
| UniProt | P55268 |
| Buffer | Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN ₃ as preservative. Reconstitute : Add 1ml of PBS buffer will yield a concentration of 100 µg/ml. |
| Purity | Ascites |
| Formula | Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN ₃ as preservative. Reconstitute : Add 1ml of PBS buffer will yield a concentration of 100ug/ml. |
| Target | Laminin subunit alpha-1, Laminin subunit alpha-2, Laminin subunit beta-1, Laminin subunit beta-2 |
| Application Dilute | Western blot : 0.25-0.5µg/ml, Immunohistochemistry(Paraffin-embedded Section) : 0.5-1µg/ml |