

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Anti-Mcm7 Monoclonal Antibody (Clone: DCS-141), Clone: [DCS-141], Mouse ABI-39-1065

Article Name	Anti-Mcm7 Monoclonal Antibody (Clone: DCS-141), Clone: [DCS-141], Mouse
Biozol Catalog Number	ABI-39-1065
Supplier Catalog Number	39-1065
Alternative Catalog Number	ABI-39-1065-100UG,ABI-39-1065-100UG/VIAL
Manufacturer	Abeomics
Host	Mouse
Category	Antikörper
Application	ICC, WB
Species Reactivity	Human
Immunogen	Recombinant human Mcm7.
Product Description	Initiation of DNA replication is a complex process involving the concerted action of many proteins. The chromosome 7-linked gene referred to by Nakatsuru et al. as MCM2 has been designated MCM7. The MCM2-7 complex is comprised of 6 subunits, MCM2 thr
Clonality	Monoclonal
Clone Designation	[DCS-141]
Isotype	Mouse IgG1
NCBI	288532

UniProt	Q6AYN8
Buffer	Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative. Reconstitute : Add 1ml of PBS buffer will yield a concentration of 100 $\mu$ g/ml.
Purity	Ascites
Formula	Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative. Reconstitute: Add 1ml of PBS buffer will yield a concentration of 100ug/ml.
Target	DNA replication licensing factor MCM7
Application Dilute	Western blot : 0.5-1μg/ml, Immunocytochemistry : 1μg/ml