

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Rabbit Monoclonal Antibody to Histone H1 (Nuclear Marker)(Clone: HH1/1784R), Clone: [HH1/1784R]

ABI-12-1025-20

Article Name	Recombinant Rabbit Monoclonal Antibody to Histone H1 (Nuclear Marker)(Clone: HH1/1784R), Clone: [HH1/1784R]
Biozol Catalog Number	ABI-12-1025-20
Supplier Catalog Number	12-1025-20
Alternative Catalog Number	ABI-12-1025-20-20UG
Manufacturer	Abeomics
Category	Antikörper
Application	FACS, IF, IHC, WB
Species Reactivity	Human, Mouse, Rat
Immunogen	Recombinant full-length human Histone H1 protein
Product Description	Eukaryotic histones are basic and water-soluble nuclear proteins that form hetero-octameric nucleosome particles by wrapping 146 base pairs of DNA in a left-handed super-helical turn sequentially to form chromosomal fiber. Two molecules of each of th
Clonality	Monoclonal
Clone Designation	[HH1/1784R]
Isotype	Rabbit IgG
NCBI	3005
UniProt	P07305

Buffer	200μg/ml of Ab purified by Protein A. Prepared in 1mM PBS with 0.05% BSA & Double are a saide. Also available WITHOUT BSA & Double at 1.0mg/ml.
Purity	Purified Ab with BSA and Azide at 200ug/ml
Form	Purified
Formula	$200~\mu g/ml$ of Ab purified by Protein A. Prepared in 1mM PBS with 0.05% BSA $\&~0.05\%$ azide. Also available WITHOUT BSA $\&~$ azide at $1.0mg/ml.$
Target	Histone H1 (Nuclear Marker)
Application Dilute	Western Blot (1-2µg/ml), Flow Cytometry (1-2µg/million cells), Immunofluorescence (1-2µg/ml), Immunohistochemistry (Formalinfixed) (1-2µg/ml for 30 minutes at RT) (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM