

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## CD8a mFluor500, Clone: [SK1], Mouse, Monoclonal CBT-1109154

8a mFluor500, Clone: [SK1], Mouse, Monoclonal
F 11001F 4
Γ-1109154
09154
Γ-1109154-25
orico Biotechnologies
use
ikörper
man, Monkey, Primate
man peripheral blood T cells
luor500
e clone SK1 specifically binds with a 32-34kDa type I nsmembrane glycoprotein of human cells commonly known as 8a. It is a member of immunoglobulin superfamily. The CD8alpha ms either a homodimer (2 alpha chains) or a heterodimer with 8be
noclonal
1]
1,k
5
1732

Buffer	PBS pH 7.2, 0.2% (w/v) BSA, 0.09% (w/v) sodium azide
Purity	>95%
Formula	PBS, pH7.2, 0.09% NaN3 and 0.2% (w/v) BSA
Target	CD8a
Antibody Type	Primary Antibody