

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## PsaC | PSI positive control/quantitation standard AGR-AS04-042S

Article Name	PsaC   PSI positive control/quantitation standard
Biozol Catalog Number	AGR-AS04-042S
Supplier Catalog Number	AS04-042S
Alternative Catalog Number	AGR-AS04-042S
Manufacturer	Agrisera
Category	Sonstiges
Application	WB
Product Description	PsaC is a conserved, chloroplast-encoded, Fe-S binding protein of approximately 10kDa, present in all known Photosystem I complexes. It is located on the stromal side of the thylacoid membranes. PsaC coordinates the Fe-S clusters FA and FB through tw
Molecular Weight	11,5 kDa (larger than native protein due to the addition of His-tag), In most gels PsaC migrates between 9 and 14 kDa
Form	Lyophilized in glycerol.
Antibody Type	Secondary Antibody
Application Dilute	Positive control: a 2 $\mu$ L load per well is optimal for most chemiluminescent detection systems. Standard curve: 3 loads are recommended (eg. 0.5, 2 and 4 $\mu$ L). For most applications a sample load of 0.2 $\mu$ g of chlorophyll will give a PsaC signal in this rang

**Application Notes** 

Protein standard buffer composition: Protein standard buffer composition: Glycerol 10%, Tris Base 141 mM, Tris HCl 106 mM, LDS 2%, EDTA 0.51 mM, SERVA Blue G250 0.22 mM, Phenol Red 0.175 mM, pH 8.5, 0.1mg/ml PefaBloc protease inhibitor (Roche), 50mM DTT.