

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Goat anti-Human IgG Fc, TRITC conjugated, min, cross-reactivity to human IgA+IgM, Polyclonal AGR-AS10-1057

|                            |                                                                                                                                                                                                                                                                                                       |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name               | Goat anti-Human IgG Fc, TRITC conjugated, min, cross-reactivity to human IgA+IgM, Polyclonal                                                                                                                                                                                                          |
| Biozol Catalog Number      | AGR-AS10-1057                                                                                                                                                                                                                                                                                         |
| Supplier Catalog Number    | AS10-1057                                                                                                                                                                                                                                                                                             |
| Alternative Catalog Number | AGR-AS10-1057                                                                                                                                                                                                                                                                                         |
| Manufacturer               | Agrisera                                                                                                                                                                                                                                                                                              |
| Host                       | Goat                                                                                                                                                                                                                                                                                                  |
| Category                   | Antikörper                                                                                                                                                                                                                                                                                            |
| Conjugation                | tritic                                                                                                                                                                                                                                                                                                |
| Product Description        | Goat anti-human IgG Fc, Rhodamine (TRITC-tetramethylrhodamine-5-isothiocyanate) conjugated, is a secondary antibody which binds to human IgG constant part in immunological assays. TRITC has $\lambda_{max} = 550 \text{ nm}$ , $\lambda_{em} = 570 \text{ nm}$ . Antibodies are adsorbed against... |
| Clonality                  | Polyclonal                                                                                                                                                                                                                                                                                            |
| Purity                     | Immunogen affinity purified IgG.                                                                                                                                                                                                                                                                      |
| Form                       | Liquid                                                                                                                                                                                                                                                                                                |
| Antibody Type              | Polyclonal Antibody                                                                                                                                                                                                                                                                                   |
| Application Dilute         | The optimal working dilution should be determined by the investigator,                                                                                                                                                                                                                                |