

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-TGG2 | Myrosinase 2 (BGL37), Polyclonal AGR-AS20-4415

Anti-TGG2 Myrosinase 2 (BGL37), Polyclonal
AGR-AS20-4415
AS20-4415
AGR-AS20-4415
Agrisera
Rabbit
Antikörper
ELISA, IL, WB
A. thaliana
BSA-conjugated peptide, derived from N-terminus of Arabidopsis thaliana TGG2, UniProt: Q9C5C2 , TAIR: At5g25980
TGG2 Myrosinase 2 (BGL37) may degrade glucosinolates (glucose residue linked by a thioglucoside bound to an amino acid derivative) to glucose, sulfate and any of the products: thiocyanates, isothiocyanates, nitriles, epithionitriles or oxazolidin
Polyclonal
63 70 kDa
832667
Q9C5C2
Total IgG. Protein A purified in PBS, 50% glycerol. Filter sterilized.

Form	Liquid at 2 mg/ml.
Antibody Type	Polyclonal Antibody
Application Dilute	assay dependent (ELISA), (IL), 1: 1000 (WB)
Application Notes	Signal peptide of 28 amino acids is removed from N-termins. Three glycosylation sites were identified in the mature form of the protein. Antibody specificity has been confirmed using wild-type and tgg2-1 mutant Ueda et al. (2006).