

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Donkey IgG anti-Goat IgG (Fc)-unconj., MinX none, Polyclonal DNA-SEC-182528

Article Name	Donkey IgG anti-Goat IgG (Fc)-unconj., MinX none, Polyclonal
Biozol Catalog Number	DNA-SEC-182528
Supplier Catalog Number	SEC-182528
Alternative Catalog Number	DNA-SEC-182528
Manufacturer	dianova
Host	Donkey
Category	Antikörper
Application	WB, IHC, ELISA
Species Reactivity	Goat
Immunogen	Goat IgG F(c) fragment
Conjugation	Unconjugated
Product Description	Anti-Goat IgG F(c) generated in donkey is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of goat IgG and oft
Clonality	Polyclonal
Isotype	Ig
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Purity	This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by
Formula	20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,Azide/BSA free
Target	Goat
Antibody Type	Polyclonal Antibody
Application Dilute	WB: 1:2,000 - 1:10,000
Application Notes	Anti-Goat IgG F(c) antibody is suitable for ELISA, western blot, and immunohistochemistry, as well as other assays requiring lot-to-lot consistency.