

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Mouse IgG (F(ab)2)-unconj., MinX none, Polyclonal DNA-SEC-182584

| | |
|----------------------------|---|
| Article Name | Goat IgG anti-Mouse IgG (F(ab)2)-unconj., MinX none, Polyclonal |
| Biozol Catalog Number | DNA-SEC-182584 |
| Supplier Catalog Number | SEC-182584 |
| Alternative Catalog Number | DNA-SEC-182584 |
| Manufacturer | dianova |
| Host | Goat |
| Category | Antikörper |
| Application | WB, IHC, ELISA |
| Species Reactivity | Mouse |
| Immunogen | Mouse IgG F(ab)2 fragment |
| Conjugation | Unconjugated |
| Product Description | Anti-Mouse IgG F(ab)2 Antibody generated in goat is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled conditions of temperature, time and pH. F(ab)2 molecules lack the Fc portion of... |
| Clonality | Polyclonal |
| Concentration | 10.0 mg/mL |
| Isotype | Ig |
| Buffer | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|--------------------|--|
| Purity | This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by |
| Formula | 10 mM NaPO ₄ ,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin |
| Target | Mouse |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | WB: 1:2,000 - 1:10,000 |
| Application Notes | Anti-Mouse IgG F(ab) ₂ antibody is suitable for ELISA, western blot, and immunohistochemistry, as well as other assays requiring lot-to-lot consistency. |