

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Mouse IgM (H+L)-FITC, MinX none, Polyclonal DNA-SEC-182587

Goat IgG anti-Mouse IgM (H+L)-FITC, MinX none, Polyclonal
DNA-SEC-182587
SEC-182587
DNA-SEC-182587
dianova
Goat
Antikörper
FC, IF, FLISA
Mouse
Mouse IgM whole molecule
FITC
Anti-Mouse IgM antibody specifically detects mouse IgM. Immunoglobulin M is the largest antibody isotype and the first to be secreted against an initial exposure to antigen. IgM is predominantly produced in the spleen. Formed from covalently linking
Polyclonal
10 mg/mL
Ig
0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Purity	This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by
Formula	20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,Azide/BSA free
Target	Mouse
Antibody Type	Polyclonal Antibody
Application Dilute	FLISA 1:10,000 - 1:50,000, FC 1:500 - 1:2,500, IF Microscopy 1:1,000 - 1:5,000
Application Notes	Anti-Mouse IgM fluorescein antibody is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing var