

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit F(ab)2 anti-Dog IgG (H+L)-HRPO, MinX none, Polyclonal DNA-SEC-182664

Article Name	Rabbit F(ab)2 anti-Dog IgG (H+L)-HRPO, MinX none, Polyclonal
Biozol Catalog Number	DNA-SEC-182664
Supplier Catalog Number	SEC-182664
Alternative Catalog Number	DNA-SEC-182664
Manufacturer	dianova
Host	Rabbit
Category	Antikörper
Application	WB, IHC, ELISA
Species Reactivity	Canine
Immunogen	Dog IgG whole molecule
Conjugation	HRP
Product Description	Anti-DOG IgG Antibody is a F(ab)2 fragment and is Peroxidase Conjugated. Anti-Dog antibody detects Dog or canine IgG heavy and light chains. F(ab)2 Antibody was generated by enzymatic cleavage and subsequent separation from the Fc fragment. Because o...
Clonality	Polyclonal
Concentration	10.0 mg/mL
Isotype	Ig
Buffer	0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Purity	F(ab)2 Anti-DOG IgG Antibody is Peroxidase Conjugated. The F(ab)2 fragment of a rabbit IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation, ion exchange chromatography and pe
Formula	10 mM NaPO4,150 mM NaCl,pH 7,2,lyophilisate,Azide/BSA free
Target	Dog
Antibody Type	Polyclonal Antibody
Application Dilute	WB: 1:1,000 - 1:10,000
Application Notes	Dog antibody has been assayed against 1.0 ug of Dog IgG in a standard capture ELISA. A working dilution of 1:20,000 to 1:100,000 of the reconstitution concentration is suggested for anti-dog antibody. F(ab)2 Anti-Dog IgG is suitable for ELISA, Western Bl