

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit IgG anti-Dog IgG (Fc)-FITC, MinX none, Polyclonal DNA-SEC-182824

| | |
|----------------------------|---|
| Article Name | Rabbit IgG anti-Dog IgG (Fc)-FITC, MinX none, Polyclonal |
| Biozol Catalog Number | DNA-SEC-182824 |
| Supplier Catalog Number | SEC-182824 |
| Alternative Catalog Number | DNA-SEC-182824 |
| Manufacturer | dianova |
| Host | Rabbit |
| Category | Antikörper |
| Application | FC, IF, FLISA |
| Species Reactivity | Canine |
| Immunogen | Dog IgG F(c) fragment |
| Conjugation | FITC |
| Product Description | Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglu... |
| Clonality | Polyclonal |
| Concentration | 1.5 mg/mL |
| Isotype | Ig |
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| | |
|--------------------|--|
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Dog IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Rabbit Serum, Dog IgG, Dog Ig |
| Formula | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3 |
| Target | Dog |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | FLISA 1:10,000 - 1:50,000, FC 1:500 - 1:2,500, IF Microscopy 1:1,000 - 1:5,000 |
| Application Notes | Secondary antibody reagents are ideal for ELISA, western blotting, Immunohistochemistry, Fluorescence Microscopy, Flow Cytometry as well as other antibody detection methods. |