

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Rabbit IgG anti-Goat IgG (H+L)-FITC, MinX none, Polyclonal DNA-SEC-182846

Article Name	Rabbit IgG anti-Goat IgG (H+L)-FITC, MinX none, Polyclonal
Biozol Catalog Number	DNA-SEC-182846
Supplier Catalog Number	SEC-182846
Alternative Catalog Number	DNA-SEC-182846
Manufacturer	dianova
Host	Rabbit
Category	Antikörper
Application	DOT, WB
Species Reactivity	Goat
Immunogen	Goat IgG whole molecule
Conjugation	FITC
Product Description	Anti-Goat IgG Fluorescein Antibody generated in rabbit detects goat IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as we
Clonality	Polyclonal
Concentration	2.0 mg/mL
Isotype	Ig
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Purity	Anti-Goat Secondary Antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resul
Formula	20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3
Target	Goat
Antibody Type	Polyclonal Antibody
Application Dilute	FLISA Dilution: 1:10,000 - 1:50,000, Flow Cytometry Dilution: 1:500 - 1:2,500, Fluorochrome Protein Value: 3.73, IF Microscopy Dilution: 1:1,000 - 1:5,000
Application Notes	Anti-Goat IgG Fluorescein Antibody has been tested by dot blot and western blot. Secondary antibody reagents are ideal for western blotting, Immunohistochemistry, ELISA, Fluorescence Microscopy, Flow Cytometry as well as other antibody detection methods