

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit IgG anti-Guinea Pig IgG (F(ab)2)-Alk. Phos., MinX none, ALP, Polyclonal , AP DNA-SEC-182928

| | |
|----------------------------|---|
| Article Name | Rabbit IgG anti-Guinea Pig IgG (F(ab)2)-Alk. Phos., MinX none, ALP, Polyclonal , AP |
| Biozol Catalog Number | DNA-SEC-182928 |
| Supplier Catalog Number | SEC-182928 |
| Alternative Catalog Number | DNA-SEC-182928 |
| Manufacturer | dianova |
| Host | Rabbit |
| Category | Antikörper |
| Application | ELISA |
| Species Reactivity | Guinea pig |
| Immunogen | Guinea Pig IgG F(ab)2 fragment |
| Conjugation | AP |
| Product Description | Anti-Guinea Pig IgG F(ab)2 Alkaline Phosphatase Antibody generated in rabbit is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled conditions of temperature, time and pH. F(ab)2 mole... |
| Clonality | Polyclonal |
| Concentration | 1.0 mg/mL |
| Isotype | Ig |

| | |
|--------------------|--|
| Buffer | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0 |
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Guinea Pig IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a s |
| Formula | 50 mM TrisHCl,150 mM NaCl,1 mM MgCl,0,1 mM ZnCl,50% (v/v) Glycerol,pH 8,0,sterile filtered,0,1% NaN3 |
| Target | Guinea Pig |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | ELISA Dilution: 1:2,000 - 1:8,000, Immunohistochemistry Dilution: 1:200 - 1:1,000, Western Blot Dilution: 1:500 - 1:2,000 |
| Application Notes | Anti-Guinea Pig IgG F(ab)2 Alkaline Phosphatase conjugate has been tested by ELISA and is suitable for immunoblotting (western or dot blot), ELISA, immunoelectron microscopy and immunohistochemistry as well as other antibody-based enzymatic assays requir |