

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit IgG anti-Hamster generally IgG (F(ab)2)-HRPO, MinX none, Polyclonal DNA-SEC-182952

| | |
|----------------------------|---|
| Article Name | Rabbit IgG anti-Hamster generally IgG (F(ab)2)-HRPO, MinX none, Polyclonal |
| Biozol Catalog Number | DNA-SEC-182952 |
| Supplier Catalog Number | SEC-182952 |
| Alternative Catalog Number | DNA-SEC-182952 |
| Manufacturer | dianova |
| Host | Rabbit |
| Category | Antikörper |
| Application | WB, IHC, ELISA |
| Species Reactivity | Golden Hamster |
| Immunogen | Hamster IgG F(ab)2 fragment |
| Conjugation | HRP |
| Product Description | Anti-Golden Syrian Hamster IgG F(ab)2 Peroxidase Antibody generated in rabbit is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled conditions of temperature, time and pH. F(ab)2 mol... |
| Clonality | Polyclonal |
| Concentration | 1.0 mg/mL |
| Isotype | Ig |

| | |
|--------------------|--|
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Hamster IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a sing |
| Formula | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin |
| Target | Golden Syrian Hamster |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | ELISA Dilution: 1:10,000 - 1:50,000, Immunohistochemistry Dilution: 1:500 - 1:2,500, Western Blot Dilution: 1:1,000 - 1:10,000 |
| Application Notes | This product has been assayed against 1.0 ug of Hamster IgG in a standard capture ELISA using ABTS (2,2-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:7,000 to |