

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Goat IgG anti-Horse IgG (Fc)-unconj., MinX none, Polyclonal DNA-SEC-182958

Article Name	Goat IgG anti-Horse IgG (Fc)-unconj., MinX none, Polyclonal
Biozol Catalog Number	DNA-SEC-182958
Supplier Catalog Number	SEC-182958
Alternative Catalog Number	DNA-SEC-182958
Manufacturer	dianova
Host	Goat
Category	Antikörper
Application	DOT, ELISA
Species Reactivity	Equine
Immunogen	Horse IgG F(c) fragment
Conjugation	Unconjugated
Product Description	Horse IgG F(c) antibody generated in goat recognizes the F(c) portion of horse IgG. It is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. R
Clonality	Polyclonal
Concentration	2.3 mg/mL
Isotype	Ig
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Purity	Anti-Horse IgG F(c) was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Horse IgG, Horse IgG F(c)
Formula	20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3
Target	Horse
Antibody Type	Polyclonal Antibody
Application Dilute	WB: 1:2,000 - 1:10,000
Application Notes	Anti-Horse IgG F(c) antibody has been tested by ELISA and dot blot and is suitable for Western Blot and Immunohistochemistry applications. Antibody should be optimized by end user for specific reactive conditions.