

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Horse IgG (H+L)-Alk. Phos., MinX none, ALP, Polyclonal DNA-SEC-182966

Goat IgG anti-Horse IgG (H+L)-Alk. Phos., MinX none, ALP, Polyclonal
DNA-SEC-182966
SEC-182966
DNA-SEC-182966
dianova
Goat
Antikörper
DOT, ELISA
Equine
Horse IgG whole molecule
ALP
Anti-Horse IgG Alkaline Phosphatase Antibody generated in goat detects horse IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacter
Polyclonal
1.0 mg/mL
Ig

Buffer	0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0
Purity	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single
Formula	50 mM TrisHCl,150 mM NaCl,1 mM MgCl,0,1 mM ZnCl,50% (v/v) Glycerol,pH 8,0,sterile filtered,0,01% NaN3
Target	Horse
Antibody Type	Polyclonal Antibody
Application Dilute	WB: 1:500 - 1:2,500
Application Notes	Anti-Horse IgG Alkaline Phosphatase Antibody has been tested by ELISA and dot blot. This product has been assayed against 1.0 ug of Horse IgG in a standard capture ELISA using pNPP p-nitrophenyl phosphate code NPP-10 as a substrate for 30 minutes at ro