

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit IgG anti-Horse IgG (Fc)-Alk. Phos., MinX none, ALP, Polyclonal DNA-SEC-182982

| | |
|----------------------------|---|
| Article Name | Rabbit IgG anti-Horse IgG (Fc)-Alk. Phos., MinX none, ALP, Polyclonal |
| Biozol Catalog Number | DNA-SEC-182982 |
| Supplier Catalog Number | SEC-182982 |
| Alternative Catalog Number | DNA-SEC-182982 |
| Manufacturer | dianova |
| Host | Rabbit |
| Category | Antikörper |
| Application | ELISA |
| Species Reactivity | Equine |
| Immunogen | Horse IgG F(c) fragment |
| Conjugation | ALP |
| Product Description | Anti-Horse IgG F(c) generated in rabbit is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of horse IgG and o... |
| Clonality | Polyclonal |
| Concentration | 1.0 mg/mL |
| Isotype | Ig |
| Buffer | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol, pH 8.0 |

| | |
|--------------------|--|
| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single |
| Formula | 50 mM TrisHCl,150 mM NaCl,1 mM MgCl,0,1 mM ZnCl,50% (v/v) Glycerol,pH 8,0,sterile filtered,0,01% NaN3 |
| Target | Horse |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | WB: 1:500 - 1:2,500 |
| Application Notes | Anti-Horse IgG F(c) Alkaline Phosphatase has been tested by ELISA. This product has been assayed against 1.0 ug of Horse IgG in a standard capture ELISA using pNPP p-nitrophenyl phosphate code NPP-10 as a substrate for 30 minutes at room temperature. A |