

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Goat IgG anti-Human IgG (Fc)-HRPO, MinX Ms, Polyclonal DNA-SEC-182993

| Article Name               | Goat IgG anti-Human IgG (Fc)-HRPO, MinX Ms, Polyclonal  |
|----------------------------|---|
| Biozol Catalog Number      | DNA-SEC-182993  |
| Supplier Catalog Number    | SEC-182993  |
| Alternative Catalog Number | DNA-SEC-182993  |
| Manufacturer               | dianova   |
| Host                       | Goat  |
| Category                   | Antikörper  |
| Application                | ELISA   |
| Species Reactivity         | Human   |
| Immunogen                  | Human IgG F(c) fragment   |
| Conjugation                | HRP   |
| Product Description        | Anti-Human IgG F(c) Peroxidase Conjugated generated in goat<br>detects Human F(c). A proteolytic fragment of immunoglobulin G<br>(IgG) obtained by limited digestion with the enzyme papain under<br>controlled conditions of temperature, time and pH. Receptors b |
| Clonality                  | Polyclonal  |
| Concentration              | 1.0 mg/mL   |
| Isotype                    | Ig  |
| Buffer                     | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2  |

| Purity             | This product was prepared from monospecific antiserum by<br>immunoaffinity chromatography using Human IgG coupled to<br>agarose beads followed by solid phase adsorption(s) to remove any<br>unwanted reactivities. Assay by immunoelectrophoresis resulted in a<br>single |
|--------------------|--|
| Formula            | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin   |
| Target             | Human  |
| Antibody Type      | Polyclonal Antibody  |
| Application Dilute | ELISA Dilution: 1:200,000, Immunohistochemistry Dilution: 1:500 -  |
|                    | 1:2,500, Western Blot Dilution: 1:1,000 - 1:10,000   |