

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Rabbit IgG anti-Human IgG (H+L)-Biotin, MinX Ms, Polyclonal DNA-SEC-183091

| Article Name               | Rabbit IgG anti-Human IgG (H+L)-Biotin, MinX Ms, Polyclonal  |
|----------------------------|--|
| Biozol Catalog Number      | DNA-SEC-183091   |
| Supplier Catalog Number    | SEC-183091   |
| Alternative Catalog Number | DNA-SEC-183091   |
| Manufacturer               | dianova  |
| Host                       | Rabbit   |
| Category                   | Antikörper   |
| Application                | ELISA, WB  |
| Species Reactivity         | Human  |
| Immunogen                  | Human IgG whole molecule   |
| Conjugation                | Biotin   |
| Product Description        | Anti-Human IgG (H&L) Biotin generated in rabbit detects human Immunoglobulin G (IgG), both heavy and light chains of the antibody molecule are present. It is a protein complex composed of four peptide chains - two identical heavy chains and two ident |
| Clonality                  | Polyclonal   |
| Concentration              | 2.0 mg/mL  |
| Isotype                    | Ig   |
| Buffer                     | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2   |

| Purity             | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single |
|--------------------|--|
| Formula            | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% NaN3   |
| Target             | Human  |
| Antibody Type      | Polyclonal Antibody  |
| Application Dilute | WB: 1:2,000 - 1:10,000   |
| Application Notes  | Anti-Human IgG (H&L) Biotin has been tested by ELISA and western blot and has been assayed against 1.0 ug of Human IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin S000-03 and ABTS (2,2-azino-bis-[3-ethylbenthiazoline-6-sulfonic   |