

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Donkey IgG anti-Human IgG (H+L)-unconj., MinX Bo,Ck,Go,Gp,Hm,Ho,Ms,Rb,Rt,Sh, Polyclonal, Unconjugated DNA-SEC-183100

| Article Name               | Donkey IgG anti-Human IgG (H+L)-unconj., MinX<br>Bo,Ck,Go,Gp,Hm,Ho,Ms,Rb,Rt,Sh, Polyclonal , Unconjugated  |
|----------------------------|--|
| Biozol Catalog Number      | DNA-SEC-183100   |
| Supplier Catalog Number    | SEC-183100   |
| Alternative Catalog Number | DNA-SEC-183100   |
| Manufacturer               | dianova  |
| Host                       | Donkey   |
| Category                   | Antikörper   |
| Application                | ELISA  |
| Species Reactivity         | Human  |
| Immunogen                  | Human IgG whole molecule   |
| Conjugation                | Unconjugated   |
| Product Description        | Anti-Human IgG (H&L) generated in donkey detects human Immunoglobulin G (IgG), both heavy and light chains of the antibody molecule are present. It is a protein complex composed of four peptide chains - two identical heavy chains and two identical li |
| Clonality                  | Polyclonal   |
| Concentration              | 1.0 mg/mL  |
| Isotype                    | Ig   |

| Buffer             | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2   |
|--------------------|--|
| Purity             | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single |
| Formula            | 20 mM K3PO4,150 mM NaCl,pH 7,2,sterile filtered,0,01% NaN3   |
| Target             | Human  |
| Antibody Type      | Polyclonal Antibody  |
| Application Dilute | ELISA Dilution: 1:33,500 - 1:53,500, Immunohistochemistry Dilution: 1:1,000 - 1:5,000, Western Blot Dilution: 1:2,000 - 1:10,000   |
| Application Notes  | Anti-Human IgG antibody has been tested by ELISA and is suitable for western blot and immunohistochemistry, as well as other assays requiring lot-to-lot consistency.  |