

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Goat IgG anti-Mouse IgG+IgM+IgA (H+L)-HRPO, MinX none, Polyclonal DNA-SEC-183138

|                            |   |
|----------------------------|---|
| Article Name               | Goat IgG anti-Mouse IgG+IgM+IgA (H+L)-HRPO, MinX none, Polyclonal   |
| Biozol Catalog Number      | DNA-SEC-183138  |
| Supplier Catalog Number    | SEC-183138  |
| Alternative Catalog Number | DNA-SEC-183138  |
| Manufacturer               | dianova   |
| Host                       | Goat  |
| Category                   | Antikörper  |
| Application                | ELISA   |
| Species Reactivity         | Mouse   |
| Immunogen                  | Anti-Mouse IgG IgA and IgM whole molecule was produced by repeated immunization with Mouse IgG IgA and IgM whole molecule in goat.  |
| Conjugation                | HRP   |
| Product Description        | Anti-Mouse IgG IgA and IgM whole molecule antibody generated in goat detects specifically Mouse IgG IgA and IgM whole molecule. This secondary antibody anti-Mouse is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assay... |
| Clonality                  | Polyclonal  |
| Concentration              | 2.0 mg/mL   |
| Isotype                    | Ig  |

|                    |  |
|--------------------|--|
| Buffer             | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2   |
| Purity             | This product was prepared from polyspecific antiserum by immunoaffinity chromatography using Mouse antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a s |
| Formula            | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Thimerosal   |
| Target             | Mouse  |
| Antibody Type      | Polyclonal Antibody  |
| Application Dilute | ELISA Dilution: 1:100,000, Immunohistochemistry Dilution: 1:250 - 1:1,500, Western Blot Dilution: 1:500 - 1:3,000  |
| Application Notes  | Anti-Mouse IgG IgA and IgM Peroxidase Conjugated Antibody has been tested by ELISA and is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody based e |