

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit IgG anti-Mouse IgG1 (Fc)-HRPO, MinX none, Polyclonal DNA-SEC-183276

| Article Name | Rabbit IgG anti-Mouse IgG1 (Fc)-HRPO, MinX none, Polyclonal |
|----------------------------|--|
| Biozol Catalog Number | DNA-SEC-183276 |
| Supplier Catalog Number | SEC-183276 |
| Alternative Catalog Number | DNA-SEC-183276 |
| Manufacturer | dianova |
| Host | Rabbit |
| Category | Antikörper |
| Application | ELISA, WB |
| Species Reactivity | Mouse |
| Immunogen | Mouse IgG1 heavy chain |
| Conjugation | HRP |
| Product Description | Anti-Mouse IgG1 Peroxidase Antibody generated in rabbit detects reactivity to Mouse IgG1 (Gamma 1 chain). Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. IgG1 chain consti |
| Clonality | Polyclonal |
| Concentration | 1.0 mg/mL |
| Isotype | Ig |
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |

| Purity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single |
|--------------------|--|
| Formula | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin |
| Target | Mouse |
| Antibody Type | Polyclonal Antibody |
| Application Dilute | ELISA Dilution: 1:20,000 - 1:200,000, Immunohistochemistry Dilution: 1:500 - 1:2,500, Western Blot Dilution: 1:2,000 - 1:20,000 |
| Application Notes | Mouse IgG1 secondary antibody conjugated to HRP is available in a variety of formats. Anti-Mouse IgG1 Peroxidase Antibody has been tested by ELISA and western blot and is suitable for ELISA, Immunohistochemistry western blotting as well as other anti IgG |